CANADIAN JOURNAL OF FOREST RESEARCH

JOURNAL CANADIEN DE LA RECHERCHE FORESTIÈRE

VOLUME 15, 1985

Author Index / Index des auteurs

Acton, D.F.
Taproots of jack pine (*Pinus banksiana* Lamb.) and soil tongues in Saskatchewan
J. Stan Rowe and Don F. Acton 646

Adams, A.B.
Disturbance patterns and forest development in a recently deglaciated valley in the northwestern Cascade Range of Washington, U.S.A.
Chadwick Dearing Oliver, A.B. Adams, and Robert J. Zasoski 221

Adams, W.T.
Clonal selection prospects in western hemlock combining rooting traits with juvenile height growth
G. Sam Foster, Robert K. Campbell, and W. Thomas Adams 488

Alfaro, R.I.
Quantification of Douglas-fir growth losses caused by western spruce budworm defoliation using stem analysis
R.I. Alfaro, A.J. Thomson, and G.A. Van Sickle 5

Impact of dwarf mistletoe on the growth of western hemlock trees having different patterns of suppression and release
A.J. Thomson, R.I. Alfaro, W.J. Bloomberg, and R.B. Smith 665

Epidemiology of dwarf mistletoe in western hemlock stands in south coastal British Columbia
R.I. Alfaro, W.J. Bloomberg, R.B. Smith, and A.J. Thomson 909

Anderson, S.A.
Shoot characteristics of stagnant and vigorous lodgepole pines, and their growth after reciprocal grafting
J. Worrall, D.A. Draper, and S.A. Anderson 365

Arney, J.D.
A modeling strategy for the growth projection of managed stands
James D. Arney 511

Arnott, J.T.
Effect of supplemental light intensity on white spruce, Engelmann spruce, and mountain hemlock seedlings grown under an extended photoperiod
J.T. Arnott and D.E. Macey 295

The effect of failure in extended and intermittent photoperiodic lighting on the growth of white spruce container seedlings
J.T. Arnott and C.S. Simmons 734

Auchmoody, L.R.
Evaluating growth responses to fertilization
L.R. Auchmoody 877

Auclair, A.N.D.
Postfire regeneration of plant and soil organic pools in a *Picea mariana–Cladonia stellaris* ecosystem
Allan N.D. Auclair 279

Baker, F.A.
Pollination of the eastern dwarf mistletoe
F.A. Baker, D.W. French, H.M. Kulman, O. Davis, and R.C. Bright 708

Ballard, T.M.
Use of pretreatment increment data in evaluating tree growth response to fertilization
T.M. Ballard and N. Majid 18

Needle water potential and soil-to-foliage flow resistance during soil drying: a comparison of Douglas-fir, western hemlock, and mountain hemlock
T.M. Ballard and M.G. Dosskey 185

Banskota, K.
Factor substitution and economies of scale in the Alberta sawmill industry
Kamal Banskota, William Phillips, and Timothy Williamson 1025

Barbour, M.G.
The Shasta red fir forest of California
Michael G. Barbour and Roy A. Woodward 570

Barclay, H.J.
Effects of high levels of fertilization with urea on growth of thinned and unthinned Douglas-fir stands
H.J. Barclay and H. Brix 730

Barnes, B.V.
A multifactor ecological classification of the northern hardwood and conifer ecosystems of Sylvania Recreation Area, Upper Peninsula, Michigan
Thomas A. Spies and Burton V. Barnes 949

Ecological species groups of upland northern hardwood – hemlock forest ecosystems of the Sylvania Recreation Area, Upper Peninsula, Michigan
Thomas A. Spies and Burton V. Barnes 961

Bassman, J.H.
Properties of the quadratic mean diameter in balanced diameter distributions
Donald J. Weatherhead, Roger C. Chapman, and John H. Bassman 474

Beaulieu, J.
Variabilité de la densité du bois et de la production des provenances d'épinette blanche, 20 ans après plantation
J. Beaulieu et A. Corriveau 833

Bella, I.E.
Western gall rust and insect leader damage in relation to tree size in young lodgepole pine in Alberta
I.E. Bella 1008

Bergdahl, D.R.
Some relationships between *Uredinopsis mirabilis*, *Paradiplosis tumifex*, and *Dasineura balsamicola* in the needles of *Abies balsamea*
D.R. Bergdahl and M. Mazzola 551

Berish, C.W.
Chronological sequence of element concentrations in wood of *Carya* spp. in the southern Appalachian Mountains
C.W. Berish and H.L. Ragsdale 477

Binkley, D.
Long-term increase of nitrogen availability from fertilization of Douglas-fir
Dan Binkley and Paula Reid 723

Black, T.A.
Determination of growing season soil water deficits on a forested slope using water balance analysis
D.G. Giles, T.A. Black, and D.L. Spittlehouse 107

Determination of sap flow in Douglas-fir trees using the heat pulse technique
Y. Cohen, F.M. Kelliher, and T.A. Black 422

Blake, T.J.
Acclimation of cold-stored jack pine and white spruce seedlings: effect of soil temperature on water relation patterns
STEVEN C. GROSSNICKLE and TERENCE J. BLAKE 544

Blanche, C.A.
Changes in bark beetle susceptibility indicators in a lightning-struck loblolly pine
C.A. BLANCHE, J.D. HODGES, and T.E. NEBEKER 397

A leaf area – sapwood area ratio developed to rate loblolly pine tree vigor
C.A. BLANCHE, J.D. HODGES, and T.E. NEBEKER 1181

Blanchette, R.A.
Effective use of ethylene-releasing agents to prevent spread of eastern dwarf mistletoe on black spruce
WILLIAM H. LIVINGSTON, ROBERT A. BLANCHETTE, MARK L. BRENNER, and KATHRYN J. ZUZEK 872

The distribution of *Endocronartium harknessii* and *Cronartium quercuum* on jack pine in Minnesota
R.A. DIETRICH, R.A. BLANCHETTE, C.F. CROGHAN, and S.O. PHILLIPS 1045

Blazich, F.A.
Propagation of *Abies fraseri* by softwood stem cuttings
FARRELL C. WISE, FRANK A. BLAZICH, and L. ERIC HINESLEY 1172

Bloomberg, W.J.
Impact of dwarf mistletoe on the growth of western hemlock trees having different patterns of suppression and release
A.J. THOMSON, R.I. ALFARO, W.J. BLOOMBERG, and R.B. SMITH 665

Epidemiology of dwarf mistletoe in western hemlock stands in south coastal British Columbia
R.I. ALFARO, W.J. BLOOMBERG, R.B. SMITH, and A.J. THOMSON 909

Bonga, J.M.
Embryogenesis in subcultured callus of *Larix decidua*
R. NAGMANI and J.M. BONGA 1088

Boyle, T.J.B.
Inheritance and linkage relationships of some isozymes of black spruce in New Brunswick
T.J.B. BOYLE and E.K. MORGENSTERN 992

Brännlund, R.
The effects on the short-run supply of wood from subsidized regeneration measures: an econometric analysis
RUNAR BRÄNNLUND, MONICA GÖRANSSON, and KARL GUSTAF LÖFGREN 941

Bradfield, G.E.
Vertical variation of sapwood thickness in *Pinus banksiana* Lamb. and *Larix laricina* (Du Roi) K. Koch
K.C. YANG, G. HAZENBERG, G.E. BRADFIELD, and J.R. MAZE 822

Brenner, M.L.
Effective use of ethylene-releasing agents to prevent spread of eastern dwarf mistletoe on black spruce
WILLIAM H. LIVINGSTON, ROBERT A. BLANCHETTE, MARK L. BRENNER, and KATHRYN J. ZUZEK 872

Briggs, G.M.
A comparison of four methods for determining leaf area index in successional hardwood forests
THOMAS W. JURIK, GEORGE M. BRIGGS, and DAVID M. GATES 1154

Briggs, R.D.
Forcing additivity of biomass tables: use of the generalized least squares method
T. CUNIA and R.D. BRIGGS 23

Harmonizing biomass tables by generalized least squares
T. CUNIA and R.D. BRIGGS 331

Bright, R.C.
Pollination of the eastern dwarf mistletoe
F.A. BAKER, D.W. FRENCH, H.M. KULMAN, O. DAVIS, and R.C. BRIGHT 708

Brink, G.E.
Comparison of a model-based sampling strategy with point–Poisson sampling on a timber management area in the Arapahoe–Roosevelt National Forest in Colorado
G.B. WOOD, H.T. SCHREUDER, and G.E. BRINK 83

Brix, H.
Effects of high levels of fertilization with urea on growth of thinned and unthinned Douglas-fir stands
H.J. BARCLAY and H. BRIX 730

Effects of disrupting stem sapwood water conduction on the water status in Douglas-fir crowns
H. BRIX and A.K. MITCHELL 982

Brodie, J.D.
Optimization of silvicultural investment for several types of stand projection systems
J. DOUGLAS BRODIE and ROBERT G. HAIGHT 188

Brown, A.T.
Early vegetation recovery and element cycles on a clear-cut watershed in western Oregon
HENRY L. GHOLZ, GLENN M. HAWK, ALSIE CAMPBELL, KERMIT CROMACK, JR., and ALFRED T. BROWN 400

Brubaker, L.B.
Water relations of white spruce (*Picea glauca* (Moench) Voss) at tree line in north central Alaska
GUILLERMO H. GOLDSTEIN, LINDA B. BRUBAKER, and THOMAS M. HINCKLEY 1080

Bruck, R.I.
Formation of ectomycorrhizae on *Pinus taeda* seedlings exposed to simulated acidic rain
S.R. SHAFER, L.F. GRAND, R.I. BRUCK, and A.S. HEAGLE 66

Buongiorno, J.
Productivity growth in the paper and paperboard industries: a variable cost function approach
BRUNO DE BORGER and JOSEPH BUONGIORNO 1013

Burk, T.E.
An integrated approach to individual tree volume distribution and stem profile modeling
JAMES D. NEWBERRY and THOMAS E. BURK 555

Buschena, C.
Desiccation and water potentials in the roots, leaves, and shoots of bare-root red pine and white spruce
EDWARD SUCOFF, CINDY BUSCHENA, and PERRY TAMTE 989

Busing, R.T.
Natural disturbance and gap phase dynamics in southern Appalachian spruce–fir forests
PETER S. WHITE, MARK D. MACKENZIE, and RICHARD T. BUSING 233

Cade, S.C.
Girdling: an effective and practical treatment for enhancing seed yields in Douglas-fir seed orchards
N.C. WHEELER, C.J. MASTERS, S.C. CADE, S.D. ROSS, J.W. KEELEY, and L.Y. HSIN 505

Camiré, C.
Mineral nutrition, dinitrogen fixation, and growth of *Alnus crispa* and *Alnus glutinosa*
G. PRÉGENT and C. CAMIRÉ 855

Campbell, A.
Early vegetation recovery and element cycles on a clear-cut watershed in western Oregon
HENRY L. GHOLZ, GLENN M. HAWK, ALSIE CAMPBELL, KERMIT CROMACK, JR., and ALFRED T. BROWN 400

Campbell, G.S.
Estimating water fluxes in Douglas-fir plantations
SUSAN J. RIHA and GAYLON S. CAMPBELL 701

Campbell, R.K.
Clonal selection prospects in western hemlock combining rooting traits with juvenile height growth
G. SAM FOSTER, ROBERT K. CAMPBELL, and W. THOMAS ADAMS 488

Effect of seed weight on height growth of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco var. *menziesii*) seedlings in a nursery
FRANK C. SORENSEN and ROBERT K. CAMPBELL 1109

Carleton, T.J.
The prediction of understory vegetation by environmental factors for the purpose of site classification in forestry: an example from northern Ontario using residual ordination analysis
T.J. CARLETON, R.K. JONES, and G. PIERPOINT 1099

Carlson, W.C.
A soil temperature control system for plant research
D.W. WALDREN, M.K. MCKINNIS, and W.C. CARLSON 472

Effects of natural chilling and cold storage on budbreak and root growth potential of loblolly pine (*Pinus taeda* L.)
W.C. CARLSON 651

Castellano, M.A.
Inoculation of container-grown Douglas-fir seedlings with basidiospores of *Rhizopogon vinicolor* and *R. colossus*: effects of fertility and spore application rate
MICHAEL A. CASTELLANO, JAMES M. TRAPPE, and RANDY MOLINA 10

Ectomycorrhizal formation and plantation performance of Douglas-fir nursery stock inoculated with *Rhizopogon* spores
MICHAEL A. CASTELLANO and JAMES M. TRAPPE 613

Cecich, R.A.
White spruce (*Picea glauca*) flowering in response to spray application of gibberellin $A_{4/7}$
ROBERT A. CECICH 170

Chambers, J.L.
Stomatal and photosynthetic response of sweet gum (*Liquidambar styraciflua*) to flooding
S.R. PEZESHKI and J.L. CHAMBERS 371

Chapman, R.C.
Properties of the quadratic mean diameter in balanced diameter distributions
DONALD J. WEATHERHEAD, ROGER C. CHAPMAN, and JOHN H. BASSMAN 474

Cheliak, W.M.
Population structure and the mating system of white spruce
W.M. CHELIAK, J.A. PITEL, and G. MURRAY 301

Clark, A., III
Composition, structure, and aboveground biomass of two old-growth northern hardwood stands in Upper Michigan
G.D. MROZ, M.R. GALE, M.F. JURGENSEN, D.J. FREDERICK, and A. CLARK III 78

Cobb, F.W., Jr.
Activity of *Hylastes nigrinus*, a vector of *Verticicladiella wageneri*, in thinned stands of Douglas-fir
T.C. HARRINGTON, F.W. COBB, JR., and J.W. LOWNSBERY 519

Cogbill, C.V.
Dynamics of the boreal forests of the Laurentian Highlands, Canada
CHARLES V. COGBILL 252

Cohen, Y.
Determination of sap flow in Douglas-fir trees using the heat pulse technique
Y. COHEN, F.M. KELLIHER, and T.A. BLACK 422

Corriveau, A.
Variabilité de la densité du bois et de la production des provenances d'épinette blanche, 20 ans après plantation
J. BEAULIEU et A. CORRIVEAU 833

Courtin, G.M.
Stand structure and growth form of the birch transition community in an industrially damaged ecosystem, Sudbury, Ontario
G.I. JAMES and G.M. COURTIN 809

Courtin, P.J.
Vegetation relationships among some seral ecosystems in southwestern British Columbia
K. KLINKA, A.M. SCAGEL, and P.J. COURTIN 561

Critchfield, W.B.
The late Quaternary history of lodgepole and jack pines
WILLIAM B. CRITCHFIELD 749

Croghan, C.F.
The distribution of *Endocronartium harknessii* and *Cronartium quercuum* on jack pine in Minnesota
R.A. DIETRICH, R.A. BLANCHETTE, C.F. CROGHAN, and S.O. PHILLIPS 1045

Cromack, K., Jr.
Early vegetation recovery and element cycles on a clear-cut watershed in western Oregon
HENRY L. GHOLZ, GLENN M. HAWK, ALSIE CAMPBELL, KERMIT CROMACK, JR., and ALFRED T. BROWN 400

Comparison of decomposition models using wood density of Douglas-fir logs
JOSEPH E. MEANS, KERMIT CROMACK, JR., and PAUL C. MACMILLAN 1092

Cronan, C.S.
A comparison of vegetative cover and tree community structure in three forested Adirondack watersheds
CHRISTOPHER S. CRONAN and MARC R. DESMEULES 881

Cunia, T.
Forcing additivity of biomass tables: use of the generalized least squares method
T. CUNIA and R.D. BRIGGS 23

Sampling with partial replacement with different types of samples
T. CUNIA and U SHWE KYAW 191

Harmonizing biomass tables by generalized least squares
T. CUNIA and R.D. BRIGGS 331

Cwynar, L.C.
A fossil pollen based reconstruction of the late Quaternary history of lodgepole pine (*Pinus contorta* ssp. *latifolia*) in the western interior of Canada
GLEN M. MACDONALD and LES C. CWYNAR 1039

Davis, O.
Pollination of the eastern dwarf mistletoe
F.A. BAKER, D.W. FRENCH, H.M. KULMAN, O. DAVIS, and R.C. BRIGHT 708

De Borger, B.
Productivity growth in the paper and paperboard industries: a variable cost function approach
BRUNO DE BORGER and JOSEPH BUONGIORNO 1013

DeHayes, D.H.
Hybridization among several North American firs. I. Crossability
GARY J. HAWLEY and DONALD H. DEHAYES 42

Hybridization among several North American firs. II. Hybrid verification
GARY J. HAWLEY and DONALD H. DEHAYES 50

DesMeules, M.R.
A comparison of vegetative cover and tree community structure in three forested Adirondack watersheds
CHRISTOPHER S. CRONAN and MARC R. DESMEULES 881

Dietrich, R.A.
The distribution of *Endocronartium harknessii* and *Cronartium quercuum* on jack pine in Minnesota
R.A. DIETRICH, R.A. BLANCHETTE, C.F. CROGHAN, and S.O. PHILLIPS 1045

Dodd, R.S.
Within-tree variation in wood production and wood quality in sycamore (*Acer pseudoplatanus*): its relation to crown characteristics
RICHARD S. DODD 56

Dosskey, M.G.
Needle water potential and soil-to-foliage flow resistance during soil drying: a comparison of Douglas-fir, western hemlock, and mountain hemlock
T.M. BALLARD and M.G. DOSSKEY 185

Draper, D.A.
Shoot characteristics of stagnant and vigorous lodgepole pines, and their growth after reciprocal grafting
J. WORRALL, D.A. DRAPER, and S.A. ANDERSON 365

Edmonds, R.L.
Decomposition of logging residues in Douglas-fir, western hemlock, Pacific silver fir, and ponderosa pine ecosystems
HEATHER E. ERICKSON, R.L. EDMONDS, and C.E. PETERSON 914

Eiber, T.G.
The Canadian Forest Fire Weather Index System as a predictor of total soil moisture content as estimated by the Thornthwaite water balance
ROBERT S. MCALPINE and THOMAS G. EIBER 1194

Eidt, D.C.
Effects of fenitrothion and adjuvants on the decomposition rate of white spruce foliage in litter bags on the forest floor
D.C. EIDT and C.A.A. WEAVER 174

Erdmann, G.G.
Crown releasing of red maple poles to shorten high-quality sawlog rotations
GAYNE G. ERDMANN, RALPH M. PETERSON, JR., and ROBERT R. OBERG 694

Erickson, H.E.
Decomposition of logging residues in Douglas-fir, western hemlock, Pacific silver fir, and ponderosa pine ecosystems
HEATHER E. ERICKSON, R.L. EDMONDS, and C.E. PETERSON 914

Ericsson, A.
Wound-induced changes of resin acid concentrations in living bark of Scots pine seedlings
ROLF GREF and ANDERS ERICSSON 92

Errico, D.
Assessing the long-run yield of a forest stand subject to the risk of fire
W.J. REED and D. ERRICO 680

Essig, D.
Xylem sap analysis for determining nutritional status of trees: *Pseudotsuga menziesii*
N. STARK, C. SPITZNER, and D. ESSIG 429

Fahey, T.J.
Chemical composition of interstitial water in decaying lodgepole pine bole wood
JOSEPH B. YAVITT and TIMOTHY J. FAHEY 1149

Farmer, R.E., Jr.
Species interactions in seedling populations of *Populus tremuloides* and *Populus balsamifera*: effects of density and species ratios
D.M. MORRIS and R.E. FARMER, JR. 593

Fay, H.
A selective medium for *Phellinus weirii*
ANITA STIEBRS HUTCHINS, HARLAN FAY, and DON KNUTSON 746

Fayle, D.C.F.
Longitudinal changes in the stem growth layer associated with debudding and branch development in red pine
DAVID C.F. FAYLE 461

Figueroa, J.
Performance of *Anthocephalus chinensis* in Puerto Rico
ARIEL E. LUGO and JULIO FIGUEROA 577

Filion, L.
White spruce expansion at the tree line and recent climatic change
SERGE PAYETTE and LOUISE FILION 241

Flowers, P.J.
Fire-induced changes in net value of timber: a sensitivity analysis
THOMAS J. MILLS and PATRICK J. FLOWERS 973

Fogal, W.H.
Contribution of feeding by European pine sawfly larvae to litter production and element flux in Scots pine plantations
W.H. FOGAL and F. SLANSKY, JR. 484

Foster, G.S.
Clonal selection prospects in western hemlock combining rooting traits with juvenile height growth
G. SAM FOSTER, ROBERT K. CAMPBELL, and W. THOMAS ADAMS 488

Fowler, G.W.
The use of Wald's sequential probability ratio test to develop composite three-decision sampling plans
GARY W. FOWLER 326

Frederick, D.J.
Composition, structure, and aboveground biomass of two old-growth northern hardwood stands in Upper Michigan
G.D. MROZ, M.R. GALE, M.F. JURGENSEN, D.J. FREDERICK, and A. CLARK III 78

Site and fertilizer effects on northern hardwood stump sprouting
G.D. MROZ, D.J. FREDERICK, and M.F. JURGENSEN 535

French, D.W.
Pollination of the eastern dwarf mistletoe
F.A. BAKER, D.W. FRENCH, H.M. KULMAN, O. DAVIS, and R.C. BRIGHT 708

Fries, C.
Depletion of viable seeds of *Betula pubescens* and *Betula verrucosa* sown onto some north Swedish forest soils
ANDERS GRANSTRÖM and CLAS FRIES 1176

Funk, D.T.
Planting site and genotype affect black walnut seedling development more than nursery environment
ROBERT D. WILLIAMS, GEORGE RINK, and DAVID T. FUNK 14

Gale, M.R.
Composition, structure, and aboveground biomass of two old-growth northern hardwood stands in Upper Michigan
G.D. MROZ, M.R. GALE, M.F. JUPGENSEN, D.J. FREDERICK, and A. CLARK III 78

Gates, D.M.
A comparison of four methods for determining leaf area index in successional hardwood forests
THOMAS W. JURIK, GEORGE M. BRIGGS, and DAVID M. GATES 1154

Gholz, H.L.
Early vegetation recovery and element cycles on a clear-cut watershed in western Oregon
HENRY L. GHOLZ, GLENN M. HAWK, ALSIE CAMPBELL, KERMIT CROMACK, JR., and ALFRED T. BROWN 400

Giles, D.G.
Determination of growing season soil water deficits on a forested slope using water balance analysis
D.G. Giles, T.A. Black, and D.L. Spittlehouse 107

Goldstein, G.H.
Water relations of white spruce (*Picea glauca* (Moench) Voss) at tree line in north central Alaska
Guillermo H. Goldstein, Linda B. Brubaker, and Thomas M. Hinckley 1080

Göransson, M.
The effects on the short-run supply of wood from subsidized regeneration measures: an econometric analysis
Runar Brännlund, Monica Göransson, and Karl Gustaf Löfgren 941

Grand, L.F.
Formation of ectomycorrhizae on *Pinus taeda* seedlings exposed to simulated acidic rain
S.R. Shafer, L.F. Grand, R.I. Bruck, and A.S. Heagle 66

Granström, A.
Depletion of viable seeds of *Betula pubescens* and *Betula verrucosa* sown onto some north Swedish forest soils
Anders Granström and Clas Fries 1176

Green, E.J.
A method of forcing additivity of biomass tables when using nonlinear models
David D. Reed and Edwin J. Green 1184

Gref, R.
Wound-induced changes of resin acid concentrations in living bark of Scots pine seedlings
Rolf Gref and Anders Ericsson 92

Gregoire, T.G.
Erratum: The jackknife: an introduction with applications in forestry data analysis
Timothy G. Gregoire 195

Grier, C.C.
Estimating Douglas-fir fine root biomass and production from living bark and starch
K.A. Vogt, D.J. Vogt, E.E. Moore, W. Littke, C.C. Grier, and L. Leney 177

Relation between root system and water inflow capacity of *Abies amabilis* growing in a subalpine forest
Robert O. Teskey, Charles C. Grier, and Thomas M. Hinckley 669

Grigal, D.F.
Individual tree biomass estimation equations for plantation-grown white spruce in northern Minnesota
R.B. Harding and D.F. Grigal 738

Grossnickle, S.C.
Acclimation of cold-stored jack pine and white spruce seedlings: effect of soil temperature on water relation patterns
Steven C. Grossnickle and Terence J. Blake 544

Guldin, R.W.
Bids for silvicultural services: estimating reasonable costs and identifying bidding errors
Richard W. Guldin 599

Hager, H.
Specific leaf area and needle weight of Norway spruce (*Picea abies*) in stands of different densities
H. Hager and H. Sterba 389

Haight, R.G.
Optimization of silvicultural investment for several types of stand projection systems
J. Douglas Brodie and Robert G. Haight 188

Hall, T.J.
A new method for evaluating decay: the effect of oxygen on *Polyporus compactus* in red oak
T.J. Hall and Curt Leben 1021

Hamilton, W.N.
Relationship between jack pine growth and site variables in New Brunswick plantations
W.N. Hamilton and H.H. Krause 922

Hanover, J.W.
Floral response of *Picea glauca* to gibberellin $A_{4/7}$, napthaleneacetic acid, root-pruning, and biennial treatment
Robert D. Marquard and James W. Hanover 743

Hansson, L.
Damage by wildlife, especially small rodents, to North American *Pinus contorta* provenances introduced into Sweden
Lennart Hansson 1167

Harding, R.B.
Individual tree biomass estimation equations for plantation-grown white spruce in northern Minnesota
R.B. Harding and D.F. Grigal 738

Harou, P.A.
On a social discount rate for forestry
P.A. Harou 927

Harrington, T.C.
Activity of *Hylastes nigrinus*, a vector of *Verticicladiella wageneri*, in thinned stands of Douglas-fir
T.C. Harrington, F.W. Cobb, Jr., and J.W. Lownsbery 519

Harrison, A.F.
Bioassay of forest floor phosphorus supply for plant growth
K. Van Cleve and A.F. Harrison 156

Erratum: Bioassay of forest floor phosphorus supply for plant growth
K. Van Cleve and A.F. Harrison 1011

Hawk, G.M.
Early vegetation recovery and element cycles on a clear-cut watershed in western Oregon
Henry L. Gholz, Glenn M. Hawk, Alsie Campbell, Kermit Cromack, Jr., and Alfred T. Brown 400

Hawkins, C.D.B.
In vivo chlorophyll fluorescence as a possible indicator of the dormancy stage in Douglas-fir seedlings
C.D.B. Hawkins and G.R. Lister 607

Hawley, G.J.
Hybridization among several North American firs. I. Crossability
Gary J. Hawley and Donald H. DeHayes 42

Hybridization among several North American firs. II. Hybrid verification
Gary J. Hawley and Donald H. DeHayes 50

Hazenberg, G.
Vertical variation of sapwood thickness in *Pinus banksiana* Lamb. and *Larix laricina* (Du Roi) K. Koch
K.C. Yang, G. Hazenberg, G.E. Bradfield, and J.R. Maze 822

Heagle, A.S.
Formation of ectomycorrhizae on *Pinus taeda* seedlings exposed to simulated acidic rain
S.R. Shafer, L.F. Grand, R.I. Bruck, and A.S. Heagle 66

Heilman, P.E.
Genetic variation and productivity of *Populus trichocarpa* T. & G. and its hybrids. I. Morphology and phenology of 50 native clones
J.C. Weber, R.F. Stettler, and P.E. Heilman 376

Genetic variation and productivity of *Populus trichocarpa* T. & G. and its hybrids. II. Biomass production in a 4-year plantation
PAUL E. HEILMAN and R.F. STETTLER 384

Sampling and genetic variation of foliar nitrogen in black cottonwood and its hybrids in short rotation
PAUL E. HEILMAN 1137

Hellmers, H.
Long-term atmospheric CO_2 enrichment affects the growth and development of *Liquidambar styraciflua* and *Pinus taeda* seedlings
N. SIONIT, B.R. STRAIN, H. HELLMERS, G.H. RIECHERS, and C.H. JAEGER 468

Hern, J.A.
Chemical and pedogenetic effects of simulated acid precipitation on two eastern Canadian forest soils. I. Nonmetals
J.A. HERN, G.K. RUTHERFORD, and G.W. VANLOON 839

Chemical and pedogenetic effects of simulated acid precipitation on two eastern Canadian forest soils. II. Metals
G.K. RUTHERFORD, G.W. VANLOON, S.F. MORTENSEN, and J.A. HERN 848

Hetherington, E.D.
Streamflow nitrogen loss following forest fertilization in a southern Vancouver Island watershed
EUGENE D. HETHERINGTON 34

Higginbotham, K.O.
Physiological ecology of lodgepole pine (*Pinus contorta*) in an enriched CO_2 environment
K.O. HIGGINBOTHAM, J.M. MAYO, S. L'HIRONDELLE, and D.K. KRYSTOFIAK 417

Hinckley, T.M.
Relation between root system and water inflow capacity of *Abies amabilis* growing in a subalpine forest
ROBERT O. TESKEY, CHARLES C. GRIER, and THOMAS M. HINCKLEY 669

Water relations of white spruce (*Picea glauca* (Moench) Voss) at tree line in north central Alaska
GUILLERMO H. GOLDSTEIN, LINDA B. BRUBAKER, and THOMAS M. HINCKLEY 1080

Hinesley, L.E.
Propagation of *Abies fraseri* by softwood stem cuttings
FARRELL C. WISE, FRANK A. BLAZICH, and L. ERIC HINESLEY 1172

Hiratsuka, Y.
The "trap-log" method to survey the distribution of *Armillaria mellea* in forest soils
K.I. MALLETT and Y. HIRATSUKA 1191

Ho, R.H.
Effect of repeated pollination upon filled seed in white spruce
RONG H. HO 1195

Hodges, J.D.
Changes in bark beetle susceptibility indicators in a lightning-struck loblolly pine
C.A. BLANCHE, J.D. HODGES, and T.E. NEBEKER 397

A leaf area – sapwood area ratio developed to rate loblolly pine tree vigor
C.A. BLANCHE, J.D. HODGES, and T.E. NEBEKER 1181

Holsten, E.H.
Factors influencing generation times of spruce beetles in Alaska
RICHARD A. WERNER and EDWARD H. HOLSTEN 438

Holthuijzen, A.M.A.
Colonization of abandoned pastures by eastern red cedar (*Juniperus virginiana* L.)
ANTHONIE M.A. HOLTHUIJZEN and TERRY L. SHARIK 1065

Hopper, G.M.
Adenylate energy charge during stratification and germination of *Quercus rubra*
GEORGE M. HOPPER, DAVID J. PARRISH, and DAVID WM. SMITH 829

Hornbeck, J.W.
Documentation of red spruce growth decline
JAMES W. HORNBECK and ROBERT B. SMITH 1199

Hsin, L.Y.
Girdling: an effective and practical treatment for enhancing seed yields in Douglas-fir seed orchards
N.C. WHEELER, C.J. MASTERS, S.C. CADE, S.D. ROSS, J.W. KEELEY, and L.Y. HSIN 505

Hutchins, A.S.
A selective medium for *Phellinus weirii*
ANITA STIEBRS HUTCHINS, HARLAN FAY, and DON KNUTSON 746

Jaeger, C.H.
Long-term atmospheric CO_2 enrichment affects the growth and development of *Liquidambar styraciflua* and *Pinus taeda* seedlings
N. SIONIT, B.R. STRAIN, H. HELLMERS, G.H. RIECHERS, and C.H. JAEGER 468

James, G.I.
Stand structure and growth form of the birch transition community in an industrially damaged ecosystem, Sudbury, Ontario
G.I. JAMES and G.M. COURTIN 809

Johansson, P.-O.
Approaches to determining monetary welfare change measures
PER-OLOV JOHANSSON 126

Johnson, D.W.
The effects of atmospheric deposition on potassium, calcium, and magnesium cycling in two deciduous forests
D.W. JOHNSON, D.D. RICHTER, G.M. LOVETT, and S.E. LINDBERG 773

The effects of acidic deposition on cation leaching from three deciduous forest canopies
GARY M. LOVETT, STEVEN E. LINDBERG, DANIEL D. RICHTER, and DALE W. JOHNSON 1055

Johnson, E.A.
The theory and use of two fire history models
E.A. JOHNSON and C.E. VAN WAGNER 214

Disturbance: the process and the response. An epilogue
E.A. JOHNSON 292

Johnson-Flanagan, A.M.
Root growth and root growth capacity of white spruce (*Picea glauca* (Moench) Voss) seedlings
ANNE M. JOHNSON-FLANAGAN and JOHN N. OWENS 625

Jones, R.K.
The prediction of understory vegetation by environmental factors for the purpose of site classification in forestry: an example from northern Ontario using residual ordination analysis
T.J. CARLETON, R.K. JONES, and G. PIERPOINT 1099

Jourdain, C.J.
Selection for cellulose content, specific gravity, and volume in young *Populus deltoides* clones
JAMES R. OLSON, CHARLES J. JOURDAIN, and RANDALL J. ROUSSEAU 393

Jurgensen, M.F.
Composition, structure, and aboveground biomass of two old-growth northern hardwood stands in Upper Michigan
G.D. MROZ, M.R. GALE, M.F. JURGENSEN, D.J. FREDERICK, and A. CLARK III 78

Site and fertilizer effects on northern hardwood stump sprouting
G.D. MROZ, D.J. FREDERICK, and M.F. JURGENSEN 535

Jurik, T.W.
A comparison of four methods for determining leaf area index in successional hardwood forests
THOMAS W. JURIK, GEORGE M. BRIGGS, and DAVID M. GATES 1154

Keeley, J.W.
Girdling: an effective and practical treatment for enhancing seed yields in Douglas-fir seed orchards
N.C. WHEELER, C.J. MASTERS, S.C. CADE, S.D. ROSS, J.W. KEELEY, and L.Y. HSIN 505

Kellas, J.D.
Inoculation of Douglas-fir and western hemlock roots with naturally infected inocula of *Phellinus weirii*
J.D. KELLAS 183

Kelliher, F.M.
Determination of sap flow in Douglas-fir trees using the heat pulse technique
Y. COHEN, F.M. KELLIHER, and T.A. BLACK 422

Khalil, M.A.K.
Genetic variation in eastern white spruce (*Picea glauca* (Moench) Voss) populations
M.A.K. KHALIL 444

Khanna, P.K.
Mechanisms of element transfer to the atmosphere during vegetation fires
R.J. RAISON, P.K. KHANNA, and P.V. WOODS 132

Transfer of elements to the atmosphere during low-intensity prescribed fires in three Australian subalpine eucalypt forests
R.J. RAISON, P.K. KHANNA, and P.V. WOODS 657

Kleyn, N.
Physiological quality of lodgepole pine and interior spruce seedlings: effects of life date and duration of freezer storage
GARY A. RITCHIE, JOHN R. RODEN, and NICK KLEYN 636

Klinka, K.
Vegetation relationships among some seral ecosystems in southwestern British Columbia
K. KLINKA, A.M. SCAGEL, and P.J. COURTIN 561

Knowles, P.
Comparison of isozyme variation among natural stands and plantations: jack pine and black spruce
PEGGY KNOWLES 902

Knutson, D.
A selective medium for *Phellinus weirii*
ANITA STIEBRS HUTCHINS, HARLAN FAY, and DON KNUTSON 746

Koike, T.
Comparison of the photosynthetic responses to temperature and light of *Betula maximowicziana* and *Betula platyphylla* var. *japonica*
TAKAYOSHI KOIKE and YUKIO SAKAGAMI 631

Kormanik, P.P.
Effects of phosphorus and vesicular–arbuscular mycorrhizae on growth and leaf retention of black walnut seedlings
PAUL P. KORMANIK 688

Development of vesicular–arbuscular mycorrhizae in a young sweetgum plantation
PAUL P. KORMANIK 1061

Kough, J.L.
Mycorrhizal responsiveness of *Thuja*, *Calocedrus*, *Sequoia*, and *Sequoiadendron* species of western North America
J.L. KOUGH, RANDY MOLINA, and R.G. LINDERMAN 1049

Kozlowski, T.T.
Effects of direct contact of *Pinus resinosa* seeds and young seedlings with *N*-dimethylamino succinamic acid, (2-chloroethyl)trimethylammonium chloride, or maleic hydrazide
T.T. KOZLOWSKI 1000

Krause, H.H.
Genotype and soil fertility interaction in the growth of black spruce progeny from a central New Brunswick population
S.M. MALIONDO and H.H. KRAUSE 410

Relationship between jack pine growth and site variables in New Brunswick plantations
W.N. HAMILTON and H.H. KRAUSE 922

Kriebel, H.B.
DNA sequence components of the *Pinus strobus* nuclear genome
HOWARD B. KRIEBEL 1

Krystofiak, D.K.
Physiological ecology of lodgepole pine (*Pinus contorta*) in an enriched CO_2 environment
K.O. HIGGINBOTHAM, J.M. MAYO, S. L'HIRONDELLE, and D.K. KRYSTOFIAK 417

Kulman, H.M.
Pollination of the eastern dwarf mistletoe
F.A. BAKER, D.W. FRENCH, H.M. KULMAN, O. DAVIS, and R.C. BRIGHT 708

Kyaw, U.S.
Sampling with partial replacement with different types of samples
T. CUNIA and U SHWE KYAW 191

Lang, G.E.
Forest turnover and the dynamics of bole wood litter in subalpine balsam fir forest
GERALD E. LANG 262

Lapp, M.S.
Chemosystematic studies in the genus *Pinus*. V. Variation in the leaf oil terpene composition of young and old lodgepole pine trees from different moisture regimes near Prince George, British Columbia
E. VON RUDLOFF, MARTIN S. LAPP, and R.G. MCMINN 801

Lavender, D.P.
Douglas-fir seedlings: some factors affecting chilling requirement, bud activity, and new foliage production
DENIS P. LAVENDER and SUSAN G. STAFFORD 309

Leben, C.
A new method for evaluating decay: the effect of oxygen on *Polyporus compactus* in red oak
T.J. HALL and CURT LEBEN 1021

Leney, L.
Estimating Douglas-fir fine root biomass and production from living bark and starch
K.A. VOGT, D.J. VOGT, E.E. MOORE, W. LITTKE, C.C. GRIER, and L. LENEY 177

L'Hirondelle, S.
Physiological ecology of lodgepole pine (*Pinus contorta*) in an enriched CO_2 environment
K.O. HIGGINBOTHAM, J.M. MAYO, S. L'HIRONDELLE, and D.K. KRYSTOFIAK 417

Lindberg, S.E.
The effects of atmospheric deposition on potassium, calcium, and magnesium cycling in two deciduous forests
D.W. JOHNSON, D.D. RICHTER, G.M. LOVETT, and S.E. LINDBERG 773

The effects of acidic deposition on cation leaching from three deciduous forest canopies
GARY M. LOVETT, STEVEN E. LINDBERG, DANIEL D. RICHTER, and DALE W. JOHNSON 1055

Linderman, R.G.
Mycorrhizal responsiveness of *Thuja*, *Calocedrus*, *Sequoia*, and *Sequoiadendron* species of western North America
J.L. KOUGH, RANDY MOLINA, and R.G. LINDERMAN 1049

Lister, G.R.
In vivo chlorophyll fluorescence as a possible indicator of the dormancy stage in Douglas-fir seedlings
C.D.B. HAWKINS and G.R. LISTER 607

Littke, W.
Estimating Douglas-fir fine root biomass and production from living bark and starch
K.A. VOGT, D.J. VOGT, E.E. MOORE, W. LITTKE, C.C. GRIER, and L. LENEY 177

Livingston, W.H.
Effective use of ethylene-releasing agents to prevent spread of eastern dwarf mistletoe on black spruce
WILLIAM H. LIVINGSTON, ROBERT A. BLANCHETTE, MARK L. BRENNER, and KATHRYN J. ZUZEK 872

Löfgren, K.G.
The effects on the short-run supply of wood from subsidized regeneration measures: an econometric analysis
RUNAR BRÄNNLUND, MONICA GÖRANSSON, and KARL GUSTAF LÖFGREN 941

Lorimer, C.G.
Methodological considerations in the analysis of forest disturbance history
CRAIG G. LORIMER 200

Lovett, G.M.
The effects of atmospheric deposition on potassium, calcium, and magnesium cycling in two deciduous forests
D.W. JOHNSON, D.D. RICHTER, G.M. LOVETT, and S.E. LINDBERG 773

The effects of acidic deposition on cation leaching from three deciduous forest canopies
GARY M. LOVETT, STEVEN E. LINDBERG, DANIEL D. RICHTER, and DALE W. JOHNSON 1055

Lownsbery, J.W.
Activity of *Hylastes nigrinus*, a vector of *Verticicladiella wageneri*, in thinned stands of Douglas-fir
T.C. HARRINGTON, F.W. COBB, JR., and J.W. LOWNSBERY 519

Lugo, A.E.
Performance of *Anthocephalus chinensis* in Puerto Rico
ARIEL E. LUGO and JULIO FIGUEROA 577

Lynch, A.M.
Relationships between balsam fir mortality caused by the spruce budworm and stand, site, and soil variables in Michigan's Upper Peninsula
ANN M. LYNCH and JOHN A. WITTER 141

MacDonald, G.B.
Effects of root rot on the growth of balsam fir
ROY D. WHITNEY and G. BLAKE MACDONALD 890

MacDonald, G.M.
A fossil pollen based reconstruction of the late Quaternary history of lodgepole pine (*Pinus contorta* ssp. *latifolia*) in the western interior of Canada
GLEN M. MACDONALD and LES C. CWYNAR 1039

Macey, D.E.
Effect of supplemental light intensity on white spruce, Engelmann spruce, and mountain hemlock seedlings grown under an extended photoperiod
J.T. ARNOTT and D.E. MACEY 295

MacKenzie, M.D.
Natural disturbance and gap phase dynamics in southern Appalachian spruce–fir forests
PETER S. WHITE, MARK D. MACKENZIE, and RICHARD T. BUSING 233

MacMillan, P.C.
Comparison of decomposition models using wood density of Douglas-fir logs
JOSEPH E. MEANS, KERMIT CROMACK, JR., and PAUL C. MACMILLAN 1092

Magnussen, S.
Tree size, biomass, and volume growth of twelve 34-year-old Ontario jack pine provenances
S. MAGNUSSEN, V.G. SMITH, and C.W. YEATMAN 1129

Majid, N.
Use of pretreatment increment data in evaluating tree growth response to fertilization
T.M. BALLARD and N. MAJID 18

Maliondo, S.M.
Genotype and soil fertility interaction in the growth of black spruce progeny from a central New Brunswick population
S.M. MALIONDO and H.H. KRAUSE 410

Mallett, K.I.
The "trap-log" method to survey the distribution of *Armillaria mellea* in forest soils
K.I. MALLETT and Y. HIRATSUKA 1191

Markhart, A.H., III
The effect of photoperiod and thermoperiod on cold acclimation and growth of *Pinus sylvestris*
B. SMIT-SPINKS, B.T. SWANSON, and A.H. MARKHART III 453

Marquard, R.D.
Floral response of *Picea glauca* to gibberellin $A_{4/7}$, napthaleneacetic acid, root-pruning, and biennial treatment
ROBERT D. MARQUARD and JAMES W. HANOVER 743

Marshall, J.D.
Predicting fine root production and turnover by monitoring root starch and soil temperature
J.D. MARSHALL and R.H. WARING 791

Martinello, F.
Factor substitution, technical change, and returns to scale in Canadian forest industries
FELICE MARTINELLO 1116

Masters, C.J.
Girdling: an effective and practical treatment for enhancing seed yields in Douglas-fir seed orchards
N.C. WHEELER, C.J. MASTERS, S.C. CADE, S.D. ROSS, J.W. KEELEY, and L.Y. HSIN 505

Mayo, J.M.
Physiological ecology of lodgepole pine (*Pinus contorta*) in an enriched CO_2 environment
K.O. HIGGINBOTHAM, J.M. MAYO, S. L'HIRONDELLE, and D.K. KRYSTOFIAK 417

Maze, J.R.
Vertical variation of sapwood thickness in *Pinus banksiana* Lamb. and *Larix laricina* (Du Roi) K. Koch
K.C. YANG, G. HAZENBERG, G.E. BRADFIELD, and J.R. MAZE 822

Mazzola, M.
Some relationships between *Uredinopsis mirabilis*, *Paradiplosis tumifex*, and *Dasineura balsamicola* in the needles of *Abies balsamea*
D.R. BERGDAHL and M. MAZZOLA 551

McAlpine, R.S.
The Canadian Forest Fire Weather Index System as a predictor of total soil moisture content as estimated by the Thornthwaite water balance
ROBERT S. MCALPINE and THOMAS G. EIBER 1194

McKinnis, M.K.
A soil temperature control system for plant research
D.W. WALDREN, M.K. MCKINNIS, and W.C. CARLSON 472

McMinn, R.G.
Chemosystematic studies in the genus *Pinus*. V. Variation in the leaf oil terpene composition of young and old lodgepole pine trees from different moisture regimes near Prince George, British Columbia
E. VON RUDLOFF, MARTIN S. LAPP, and R.G. MCMINN 801

Means, J.E.
Comparison of decomposition models using wood density of Douglas-fir logs
JOSEPH E. MEANS, KERMIT CROMACK, JR., and PAUL C. MACMILLAN 1092

Menezes, O.
Market structure and economic performance of forest products industry in Ontario and Canada
J.C. NAUTIYAL, B.K. SINGH, and O. MENEZES 115

Merrill, R.E.
Heritability and genetic correlations for stem diameter and branch characteristics in white spruce
R.E. MERRILL and C.A. MOHN 494

Methven, I.R.
The effect of forest floor manipulation on nitrogen status and tree growth in an eastern Ontario jack pine ecosystem
M.G. WEBER, I.R. METHVEN, and C.E. VAN WAGNER 313

M'Hirit, O.
A nonparametric technique for taper function estimation
O. M'HIRIT and J.G. POSTAIRE 862

Miller, J.D.
Observations on fungi associated with spruce budworm infested balsam fir needles
J. DAVID MILLER, D. STRONGMAN, and N.J. WHITNEY 896

Mills, T.J.
Fire-induced changes in net value of timber: a sensitivity analysis
THOMAS J. MILLS and PATRICK J. FLOWERS 973

Minore, D.
Effects of sowing depth on emergence and growth of Douglas-fir, western hemlock, and noble fir seedlings
DON MINORE 935

Mitchell, A.K.
Effects of disrupting stem sapwood water conduction on the water status in Douglas-fir crowns
H. BRIX and A.K. MITCHELL 982

Mize, C.W.
Comparing treatment means correctly and appropriately
CARL W. MIZE and RICHARD C. SCHULTZ 1142

Mohn, C.A.
Heritability and genetic correlations for stem diameter and branch characteristics in white spruce
R.E. MERRILL and C.A. MOHN 494

Molina, R.
Inoculation of container-grown Douglas-fir seedlings with basidiospores of *Rhizopogon vinicolor* and *R. colossus*: effects of fertility and spore application rate
MICHAEL A. CASTELLANO, JAMES M. TRAPPE, and RANDY MOLINA 10

Mycorrhizal responsiveness of *Thuja, Calocedrus, Sequoia,* and *Sequoiadendron* species of western North America
J.L. KOUGH, RANDY MOLINA, and R.G. LINDERMAN 1049

Monserud, R.A.
Comparison of Douglas-fir site index and height growth curves in the Pacific Northwest
ROBERT A. MONSERUD 673

Moore, E.E.
Estimating Douglas-fir fine root biomass and production from living bark and starch
K.A. VOGT, D.J. VOGT, E.E. MOORE, W. LITTKE, C.C. GRIER, and L. LENEY 177

Morgenstern, E.K.
Inheritance and linkage relationships of some isozymes of black spruce in New Brunswick
T.J.B. BOYLE and E.K. MORGENSTERN 992

Morris, D.M.
Species interactions in seedling populations of *Populus tremuloides* and *Populus balsamifera*: effects of density and species ratios
D.M. MORRIS and R.E. FARMER, JR. 593

Morrison, I.K.
Effect of crown position on foliar concentrations of 11 elements in *Acer saccharum* and *Betula alleghaniensis* trees on a till soil
I.K. MORRISON 179

Mortensen, S.F.
Chemical and pedogenetic effects of simulated acid precipitation on two eastern Canadian forest soils. II. Metals
G.K. RUTHERFORD, G.W. VANLOON, S.F. MORTENSEN, and J.A. HERN 848

Mroz, G.D.
Composition, structure, and aboveground biomass of two old-growth northern hardwood stands in Upper Michigan
G.D. MROZ, M.R. GALE, M.F. JURGENSEN, D.J. FREDERICK, and A. CLARK III 78

Site and fertilizer effects on northern hardwood stump sprouting
G.D. MROZ, D.J. FREDERICK, and M.F. JURGENSEN 535

Mullin, T.J.
Genotype–nitrogen interactions in full-sib seedlings of black spruce
T.J. MULLIN 1031

Murray, G.
Population structure and the mating system of white spruce
W.M. CHELIAK, J.A. PITEL, and G. MURRAY 301

Nagmani, R.
Embryogenesis in subcultured callus of *Larix decidua*
R. NAGMANI and J.M. BONGA 1088

Nautiyal, J.C.
Market structure and economic performance of forest products industry in Ontario and Canada
J.C. NAUTIYAL, B.K. SINGH, and O. MENEZES 115

Nebeker, T.E.
Changes in bark beetle susceptibility indicators in a lightning-struck loblolly pine
C.A. BLANCHE, J.D. HODGES, and T.E. NEBEKER 397

A leaf area – sapwood area ratio developed to rate loblolly pine tree vigor
C.A. BLANCHE, J.D. HODGES, and T.E. NEBEKER 1181

Newberry, J.D.
An integrated approach to individual tree volume distribution and stem profile modeling
JAMES D. NEWBERRY and THOMAS E. BURK 555

Nienstaedt, H.
Inheritance and correlations of frost injury, growth, flowering, and cone characteristics in white spruce, *Picea glauca* (Moench) Voss
HANS NIENSTAEDT 498

Nohrstedt, H.-O.
Nonsymbiotic nitrogen fixation in the topsoil of some forest stands in central Sweden
HANS-ÖRJAN NOHRSTEDT 715

Oberg, R.R.
Crown releasing of red maple poles to shorten high-quality sawlog rotations
GAYNE G. ERDMANN, RALPH M. PETERSON, JR., and ROBERT R. OBERG 694

Oliver, C.D.
Disturbance patterns and forest development in a recently deglaciated valley in the northwestern Cascade Range of Washington, U.S.A.
CHADWICK DEARING OLIVER, A.B. ADAMS, and ROBERT J. ZASOSKI 221

Olson, J.R.
Selection for cellulose content, specific gravity, and volume in young *Populus deltoides* clones
JAMES R. OLSON, CHARLES J. JOURDAIN, and RANDALL J. ROUSSEAU 393

Omule, S.A.Y.
Erratum: Multistage sampling with partial replacement
STEPHEN A.Y. OMULE 1198

Oren, R.
Tree vigor and stand growth of Douglas-fir as influenced by laminated root rot
RAM OREN, WALTER G. THIES, and RICHARD H. WARING 985

Owens, J.N.
Interaction between gibberellin $A_{4/7}$ and root-pruning on the reproductive and vegetative process in Douglas-fir. I. Effects on flowering
S.D. ROSS, J.E. WEBBER, R.P. PHARIS, and J.N. OWENS 341

Interaction between gibberellin $A_{4/7}$ and root-pruning on the reproductive and vegetative process in Douglas-fir. II. Effects on shoot elongation and its relationship to flowering
J.E. WEBBER, S.D. ROSS, R.P. PHARIS, and J.N. OWENS 348

Interaction between gibberellin $A_{4/7}$ and root-pruning on the reproductive and vegetative processes in Douglas-fir. III. Effects on anatomy of shoot elongation and terminal bud development
J.N. OWENS, J.E. WEBBER, S.D. ROSS, and R.P. PHARIS 354

Root growth and root growth capacity of white spruce (*Picea glauca* (Moench) Voss) seedlings
ANNE M. JOHNSON-FLANAGAN and JOHN N. OWENS 625

Pallardy, S.G.
Drought-induced leaf abscission and whole-plant drought tolerance of seedlings of seven black walnut families
WILLIAM C. PARKER and STEPHEN G. PALLARDY 818

Parker, W.C.
Drought-induced leaf abscission and whole-plant drought tolerance of seedlings of seven black walnut families
WILLIAM C. PARKER and STEPHEN G. PALLARDY 818

Parrish, D.J.
Adenylate energy charge during stratification and germination of *Quercus rubra*
GEORGE M. HOPPER, DAVID J. PARRISH, and DAVID WM. SMITH 829

Payette, S.
White spruce expansion at the tree line and recent climatic change
SERGE PAYETTE and LOUISE FILION 241

Peterson, C.E.
Decomposition of logging residues in Douglas-fir, western hemlock, Pacific silver fir, and ponderosa pine ecosystems
HEATHER E. ERICKSON, R.L. EDMONDS, and C.E. PETERSON 914

Peterson, D.L.
Crown scorch volume and scorch height: estimates of postfire tree condition
DAVID L. PETERSON 596

Peterson, R.M., Jr.
Crown releasing of red maple poles to shorten high-quality sawlog rotations
GAYNE G. ERDMANN, RALPH M. PETERSON, JR., and ROBERT R. OBERG 694

Pezeshki, S.R.
Stomatal and photosynthetic response of sweet gum (*Liquidambar styraciflua*) to flooding
S.R. PEZESHKI and J.L. CHAMBERS 371

Pharis, R.P.
Interaction between gibberellin $A_{4/7}$ and root-pruning on the reproductive and vegetative process in Douglas-fir. I. Effects on flowering
S.D. ROSS, J.E. WEBBER, R.P. PHARIS, and J.N. OWENS 341

Interaction between gibberellin $A_{4/7}$ and root-pruning on the reproductive and vegetative process in Douglas-fir. II. Effects on shoot elongation and its relationship to flowering
J.E. WEBBER, S.D. ROSS, R.P. PHARIS, and J.N. OWENS 348

Interaction between gibberellin $A_{4/7}$ and root-pruning on the reproductive and vegetative processes in Douglas-fir. III. Effects on anatomy of shoot elongation and terminal bud development
J.N. OWENS, J.E. WEBBER, S.D. ROSS, and R.P. PHARIS 354

Philipson, J.J.
The promotion of flowering in large field-grown Sitka spruce by girdling and stem injections of gibberellin $A_{4/7}$
J.J. PHILIPSON 166

The effect of top pruning, girdling, and gibberellin $A_{4/7}$ application on the production and distribution of pollen and seed cones in Sitka spruce
J.J. PHILIPSON 1125

Phillips, S.O.
The distribution of *Endocronartium harknessii* and *Cronartium quercuum* on jack pine in Minnesota
R.A. DIETRICH, R.A. BLANCHETTE, C.F. CROGHAN, and S.O. PHILLIPS 1045

Phillips, W.
Factor substitution and economies of scale in the Alberta sawmill industry
KAMAL BANSKOTA, WILLIAM PHILLIPS, and TIMOTHY WILLIAMSON 1025

Pierpoint, G.
The prediction of understory vegetation by environmental factors for the purpose of site classification in forestry: an example from northern Ontario using residual ordination analysis
T.J. CARLETON, R.K. JONES, and G. PIERPOINT 1099

Pitel, J.A.
Population structure and the mating system of white spruce
W.M. CHELIAK, J.A. PITEL, and G. MURRAY 301

Physical and chemical treatments to improve laboratory germination of western white pine seeds
J.A. PITEL and B.S.P. WANG 1187

Postaire, J.G.
A nonparametric technique for taper function estimation
O. M'HIRIT and J.G. POSTAIRE 862

Potts, D.F.
Water potential of forest duff and its possible relationship to regeneration success in the northern Rocky Mountains
DONALD F. POTTS 464

Prégent, G.
Mineral nutrition, dinitrogen fixation, and growth of *Alnus crispa* and *Alnus glutinosa*
G. PRÉGENT and C. CAMIRÉ 855

Ragsdale, H.L.
Chronological sequence of element concentrations in wood of *Carya* spp. in the southern Appalachian Mountains
C.W. BERISH and H.L. RAGSDALE 477

Raison, R.J.
Mechanisms of element transfer to the atmosphere during vegetation fires
R.J. RAISON, P.K. KHANNA, and P.V. WOODS 132

Transfer of elements to the atmosphere during low-intensity prescribed fires in three Australian subalpine eucalypt forests
R.J. RAISON, P.K. KHANNA, and P.V. WOODS 657

Reed, D.D.
A method of forcing additivity of biomass tables when using nonlinear models
DAVID D. REED and EDWIN J. GREEN 1184

Reed, W.J.
Assessing the long-run yield of a forest stand subject to the risk of fire
W.J. Reed and D. Errico 680

Rehfeldt, G.E.
Ecological genetics of *Pinus contorta* in the Wasatch and Uinta Mountains of Utah
G.E. Rehfeldt 524

Reid, P.
Long-term increase of nitrogen availability from fertilization of Douglas-fir
Dan Binkley and Paula Reid 723

Richter, D.D.
The effects of atmospheric deposition on potassium, calcium, and magnesium cycling in two deciduous forests
D.W. Johnson, D.D. Richter, G.M. Lovett, and S.E. Lindberg 773

The effects of acidic deposition on cation leaching from three deciduous forest canopies
Gary M. Lovett, Steven E. Lindberg, Daniel D. Richter, and Dale W. Johnson 1055

Rideout, D.
Managerial finance for silvicultural systems
Doug Rideout 163

Riechers, G.H.
Long-term atmospheric CO_2 enrichment affects the growth and development of *Liquidambar styraciflua* and *Pinus taeda* seedlings
N. Sionit, B.R. Strain, H. Hellmers, G.H. Riechers, and C.H. Jaeger 468

Riha, S.J.
Estimating water fluxes in Douglas-fir plantations
Susan J. Riha and Gaylon S. Campbell 701

Rink, G.
Planting site and genotype affect black walnut seedling development more than nursery environment
Robert D. Williams, George Rink, and David T. Funk 14

Ritchie, G.A.
Physiological quality of lodgepole pine and interior spruce seedlings: effects of life date and duration of freezer storage
Gary A. Ritchie, John R. Roden, and Nick Kleyn 636

Roden, J.R.
Physiological quality of lodgepole pine and interior spruce seedlings: effects of life date and duration of freezer storage
Gary A. Ritchie, John R. Roden, and Nick Kleyn 636

Ross, S.D.
Interaction between gibberellin $A_{4/7}$ and root-pruning on the reproductive and vegetative process in Douglas-fir. I. Effects on flowering
S.D. Ross, J.E. Webber, R.P. Pharis, and J.N. Owens 341

Interaction between gibberellin $A_{4/7}$ and root-pruning on the reproductive and vegetative process in Douglas-fir. II. Effects on shoot elongation and its relationship to flowering
J.E. Webber, S.D. Ross, R.P. Pharis, and J.N. Owens 348

Interaction between gibberellin $A_{4/7}$ and root-pruning on the reproductive and vegetative processes in Douglas-fir. III. Effects on anatomy of shoot elongation and terminal bud development
J.N. Owens, J.E. Webber, S.D. Ross, and R.P. Pharis 354

Girdling: an effective and practical treatment for enhancing seed yields in Douglas-fir seed orchards
N.C. Wheeler, C.J. Masters, S.C. Cade, S.D. Ross, J.W. Keeley, and L.Y. Hsin 505

Promotion of flowering in potted *Picea engelmannii* (Perry) grafts: effects of heat, drought, gibberellin $A_{4/7}$, and their timing
Stephen D. Ross 618

Rousseau, R.J.
Selection for cellulose content, specific gravity, and volume in young *Populus deltoides* clones
James R. Olson, Charles J. Jourdain, and Randall J. Rousseau 393

Rowe, J.S.
Taproots of jack pine (*Pinus banksiana* Lamb.) and soil tongues in Saskatchewan
J. Stan Rowe and Don F. Acton 646

Rudis, V.A.
Screenometer: a device for sampling vegetative screening in forested areas
Victor A. Rudis 996

Ruehle, J.L.
The effect of cupric carbonate on root morphology of containerized mycorrhizal pine seedlings
John L. Ruehle 586

Running, S.W.
Light reduction and moisture stress: effects on growth and water relations of western larch seedlings
Nan C. Vance and Steven W. Running 72

Rutherford, G.K.
Chemical and pedogenetic effects of simulated acid precipitation on two eastern Canadian forest soils. I. Nonmetals
J.A. Hern, G.K. Rutherford, and G.W. vanLoon 839

Chemical and pedogenetic effects of simulated acid precipitation on two eastern Canadian forest soils. II. Metals
G.K. Rutherford, G.W. vanLoon, S.F. Mortensen, and J.A. Hern 848

Sakagami, Y.
Comparison of the photosynthetic responses to temperature and light of *Betula maximowicziana* and *Betula platyphylla* var. *japonica*
Takayoshi Koike and Yukio Sakagami 631

Scagel, A.M.
Vegetation relationships among some seral ecosystems in southwestern British Columbia
K. Klinka, A.M. Scagel, and P.J. Courtin 561

Schier, G.A.
Response of red spruce and balsam fir seedlings to aluminum toxicity in nutrient solutions
George A. Schier 29

Schlentner, R.E.
Relationships between CO_2 evolution from soil, substrate temperature, and substrate moisture in four mature forest types in interior Alaska
Robert E. Schlentner and Keith Van Cleve 97

Schreuder, H.T.
Comparison of a model-based sampling strategy with point–Poisson sampling on a timber management area in the Arapahoe–Roosevelt National Forest in Colorado
G.B. Wood, H.T. Schreuder, and G.E. Brink 83

Schultz, R.C.
Comparing treatment means correctly and appropriately
Carl W. Mize and Richard C. Schultz 1142

Sennerby-Forsse, L.
Clonal variation of wood specific gravity, moisture content, and stem bark percentage in 1-year-old shoots of 20 fast-growing *Salix* clones
Lisbeth Sennerby-Forsse 531

Shafer, S.R.
Formation of ectomycorrhizae on *Pinus taeda* seedlings exposed to simulated acidic rain
S.R. Shafer, L.F. Grand, R.I. Bruck, and A.S. Heagle 66

Sharik, T.L.
Colonization of abandoned pastures by eastern red cedar (*Juniperus virginiana* L.)
Anthonie M.A. Holthuijzen and Terry L. Sharik 1065

Shrimpton, D.M.
Relationship between phloem thickness and lodgepole pine growth characteristics
D.M. SHRIMPTON and A.J. THOMSON 1004

Simmons, C.S.
The effect of failure in extended and intermittent photoperiodic lighting on the growth of white spruce container seedlings
J.T. ARNOTT and C.S. SIMMONS 734

Singh, B.K.
Market structure and economic performance of forest products industry in Ontario and Canada
J.C. NAUTIYAL, B.K. SINGH, and O. MENEZES 115

Sionit, N.
Long-term atmospheric CO_2 enrichment affects the growth and development of *Liquidambar styraciflua* and *Pinus taeda* seedlings
N. SIONIT, B.R. STRAIN, H. HELLMERS, G.H. RIECHERS, and C.H. JAEGER 468

Slansky, F., Jr.
Contribution of feeding by European pine sawfly larvae to litter production and element flux in Scots pine plantations
W.H. FOGAL and F. SLANSKY, JR. 484

Smit-Spinks, B.
The effect of photoperiod and thermoperiod on cold acclimation and growth of *Pinus sylvestris*
B. SMIT-SPINKS, B.T. SWANSON, and A.H. MARKHART III 453

Smith, D.W.
The use of the fluorochrome calcofluor for monitoring the extent and penetration of pyrolysis in black spruce bark hollocelluloses
DAVID E. STEPHENSON and DAVID W. SMITH 725

Smith, D.W.
Adenylate energy charge during stratification and germination of *Quercus rubra*
GEORGE M. HOPPER, DAVID J. PARRISH, and DAVID WM. SMITH 829

Smith, R.B.
Impact of dwarf mistletoe on the growth of western hemlock trees having different patterns of suppression and release
A.J. THOMSON, R.I. ALFARO, W.J. BLOOMBERG, and R.B. SMITH 665

Epidemiology of dwarf mistletoe in western hemlock stands in south coastal British Columbia
R.I. ALFARO, W.J. BLOOMBERG, R.B. SMITH, and A.J. THOMSON 909

Smith, R.B.
Documentation of red spruce growth decline
JAMES W. HORNBECK and ROBERT B. SMITH 1199

Smith, V.G.
Tree size, biomass, and volume growth of twelve 34-year-old Ontario jack pine provenances
S. MAGNUSSEN, V.G. SMITH, and C.W. YEATMAN 1129

Snyder, T.P.
Temporal analysis of breeding structure in jack pine (*Pinus banksiana* Lamb.)
THOMAS P. SNYDER, DALE A. STEWART, and ANN F. STRICKLER 1159

Sorensen, F.C.
Effect of seed weight on height growth of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco var. *menziesii*) seedlings in a nursery
FRANK C. SORENSEN and ROBERT K. CAMPBELL 1109

Spies, T.A.
A multifactor ecological classification of the northern hardwood and conifer ecosystems of Sylvania Recreation Area, Upper Peninsula, Michigan
THOMAS A. SPIES and BURTON V. BARNES 949

Ecological species groups of upland northern hardwood – hemlock forest ecosystems of the Sylvania Recreation Area, Upper Peninsula, Michigan
THOMAS A. SPIES and BURTON V. BARNES 961

Spittlehouse, D.L.
Determination of growing season soil water deficits on a forested slope using water balance analysis
D.G. GILES, T.A. BLACK, and D.L. SPITTLEHOUSE 107

Spitzner, C.
Xylem sap analysis for determining nutritional status of trees: *Pseudotsuga menziesii*
N. STARK, C. SPITZNER, and D. ESSIG 429

Xylem sap analysis for determining the nutrient status and growth of *Pinus ponderosa*
N. STARK and C. SPITZNER 783

Sprugel, D.G.
Changes in biomass components through stand development in wave-regenerated balsam fir forests
DOUGLAS G. SPRUGEL 269

Stafford, S.G.
Douglas-fir seedlings: some factors affecting chilling requirement, bud activity, and new foliage production
DENIS P. LAVENDER and SUSAN G. STAFFORD 309

Stark, N.
Xylem sap analysis for determining nutritional status of trees: *Pseudotsuga menziesii*
N. STARK, C. SPITZNER, and D. ESSIG 429

Xylem sap analysis for determining the nutrient status and growth of *Pinus ponderosa*
N. STARK and C. SPITZNER 783

Stephenson, D.E.
The use of the fluorochrome calcofluor for monitoring the extent and penetration of pyrolysis in black spruce bark hollocelluloses
DAVID E. STEPHENSON and DAVID W. SMITH 725

Sterba, H.
Specific leaf area and needle weight of Norway spruce (*Picea abies*) in stands of different densities
H. HAGER and H. STERBA 389

Stettler, R.F.
Genetic variation and productivity of *Populus trichocarpa* T. & G. and its hybrids. I. Morphology and phenology of 50 native clones
J.C. WEBER, R.F. STETTLER, and P.E. HEILMAN 376

Genetic variation and productivity of *Populus trichocarpa* T. & G. and its hybrids. II. Biomass production in a 4-year plantation
PAUL E. HEILMAN and R.F. STETTLER 384

Stewart, D.A.
Temporal analysis of breeding structure in jack pine (*Pinus banksiana* Lamb.)
THOMAS P. SNYDER, DALE A. STEWART, and ANN F. STRICKLER 1159

Strain, B.R.
Long-term atmospheric CO_2 enrichment affects the growth and development of *Liquidambar styraciflua* and *Pinus taeda* seedlings
N. SIONIT, B.R. STRAIN, H. HELLMERS, G.H. RIECHERS, and C.H. JAEGER 468

Strickler, A.F.
Temporal analysis of breeding structure in jack pine (*Pinus banksiana* Lamb.)
THOMAS P. SNYDER, DALE A. STEWART, and ANN F. STRICKLER 1159

Strongman, D.
Observations on fungi associated with spruce budworm infested balsam fir needles
J. DAVID MILLER, D. STRONGMAN, and N.J. WHITNEY 896

Sucoff, E.
Desiccation and water potentials in the roots, leaves, and shoots of bare-root red pine and white spruce
EDWARD SUCOFF, CINDY BUSCHENA, and PERRY TAMTE 989

Swanson, B.T.
The effect of photoperiod and thermoperiod on cold acclimation and growth of *Pinus sylvestris*
B. Smit-Spinks, B.T. Swanson, and A.H. Markhart III 453

Tamte, P.
Desiccation and water potentials in the roots, leaves, and shoots of bare-root red pine and white spruce
Edward Sucoff, Cindy Buschena, and Perry Tamte 989

Teskey, R.O.
Relation between root system and water inflow capacity of *Abies amabilis* growing in a subalpine forest
Robert O. Teskey, Charles C. Grier, and Thomas M. Hinckley 669

Thies, W.G.
Tree vigor and stand growth of Douglas-fir as influenced by laminated root rot
Ram Oren, Walter G. Thies, and Richard H. Waring 985

Thomas, P.A.
The influence of shelter and the hypothetical effect of fire severity on the postfire establishment of conifers from seed
P.A. Thomas and Ross W. Wein 148

Delayed emergence of four conifer species on postfire seedbeds in eastern Canada
P.A. Thomas and Ross W. Wein 727

Thomson, A.J.
Quantification of Douglas-fir growth losses caused by western spruce budworm defoliation using stem analysis
R.I. Alfaro, A.J. Thomson, and G.A. Van Sickle 5

Impact of dwarf mistletoe on the growth of western hemlock trees having different patterns of suppression and release
A.J. Thomson, R.I. Alfaro, W.J. Bloomberg, and R.B. Smith 665

Epidemiology of dwarf mistletoe in western hemlock stands in south coastal British Columbia
R.I. Alfaro, W.J. Bloomberg, R.B. Smith, and A.J. Thomson 909

Relationship between phloem thickness and lodgepole pine growth characteristics
D.M. Shrimpton and A.J. Thomson 1004

Tompsett, P.B.
The influence of moisture content and storage temperature on the viability of *Shorea almon*, *Shorea robusta*, and *Shorea roxburghii* seed
P.B. Tompsett 1074

Trappe, J.M.
Inoculation of container-grown Douglas-fir seedlings with basidiospores of *Rhizopogon vinicolor* and *R. colossus*: effects of fertility and spore application rate
Michael A. Castellano, James M. Trappe, and Randy Molina 10

Ectomycorrhizal formation and plantation performance of Douglas-fir nursery stock inoculated with *Rhizopogon* spores
Michael A. Castellano and James M. Trappe 613

Vance, N.C.
Light reduction and moisture stress: effects on growth and water relations of western larch seedlings
Nan C. Vance and Steven W. Running 72

Van Cleve, K.
Relationships between CO_2 evolution from soil, substrate temperature, and substrate moisture in four mature forest types in interior Alaska
Robert E. Schlentner and Keith Van Cleve 97

Bioassay of forest floor phosphorus supply for plant growth
K. Van Cleve and A.F. Harrison 156

Erratum: Bioassay of forest floor phosphorus supply for plant growth
K. Van Cleve and A.F. Harrison 1011

van den Driessche, R.
The influence of cutting treatments with indole-3-butyric acid and boron, stock plant moisture stress, and shading on rooting in Sitka spruce
R. van den Driessche 740

vanLoon, G.W.
Chemical and pedogenetic effects of simulated acid precipitation on two eastern Canadian forest soils. I. Nonmetals
J.A. Hern, G.K. Rutherford, and G.W. vanLoon 839

Chemical and pedogenetic effects of simulated acid precipitation on two eastern Canadian forest soils. II. Metals
G.K. Rutherford, G.W. vanLoon, S.F. Mortensen, and J.A. Hern 848

Van Sickle, G.A.
Quantification of Douglas-fir growth losses caused by western spruce budworm defoliation using stem analysis
R.I. Alfaro, A.J. Thomson, and G.A. Van Sickle 5

Van Wagner, C.E.
The theory and use of two fire history models
E.A. Johnson and C.E. Van Wagner 214

The effect of forest floor manipulation on nitrogen status and tree growth in an eastern Ontario jack pine ecosystem
M.G. Weber, I.R. Methven, and C.E. Van Wagner 313

Vézina, P.-E.
Étude de la production totale: exemple d'une table pour le sapin baumier
R. Zarnovican et P.-E. Vézina 87

Vogt, D.J.
Estimating Douglas-fir fine root biomass and production from living bark and starch
K.A. Vogt, D.J. Vogt, E.E. Moore, W. Littke, C.C. Grier, and L. Leney 177

Vogt, K.A.
Estimating Douglas-fir fine root biomass and production from living bark and starch
K.A. Vogt, D.J. Vogt, E.E. Moore, W. Littke, C.C. Grier, and L. Leney 177

von Rudloff, E.
Chemosystematic studies in the genus *Pinus*. V. Variation in the leaf oil terpene composition of young and old lodgepole pine trees from different moisture regimes near Prince George, British Columbia
E. von Rudloff, Martin S. Lapp, and R.G. McMinn 801

Waldren, D.W.
A soil temperature control system for plant research
D.W. Waldren, M.K. McKinnis, and W.C. Carlson 472

Walker, H.D.
An alternative approach to goal programming
H. Douglas Walker 319

Wang, B.S.P.
Physical and chemical treatments to improve laboratory germination of western white pine seeds
J.A. Pitel and B.S.P. Wang 1187

Waring, R.H.
Predicting fine root production and turnover by monitoring root starch and soil temperature
J.D. Marshall and R.H. Waring 791

Tree vigor and stand growth of Douglas-fir as influenced by laminated root rot
Ram Oren, Walter G. Thies, and Richard H. Waring 985

Weatherhead, D.J.
Properties of the quadratic mean diameter in balanced diameter distributions
Donald J. Weatherhead, Roger C. Chapman, and John H. Bassman 474

Weaver, C.A.A.
Effects of fenitrothion and adjuvants on the decomposition rate of white spruce foliage in litter bags on the forest floor
D.C. EIDT and C.A.A. WEAVER 174

Webber, J.E.
Interaction between gibberellin $A_{4/7}$ and root-pruning on the reproductive and vegetative process in Douglas-fir. I. Effects on flowering
S.D. ROSS, J.E. WEBBER, R.P. PHARIS, and J.N. OWENS 341

Interaction between gibberellin $A_{4/7}$ and root-pruning on the reproductive and vegetative process in Douglas-fir. II. Effects on shoot elongation and its relationship to flowering
J.E. WEBBER, S.D. ROSS, R.P. PHARIS, and J.N. OWENS 348

Interaction between gibberellin $A_{4/7}$ and root-pruning on the reproductive and vegetative processes in Douglas-fir. III. Effects on anatomy of shoot elongation and terminal bud development
J.N. OWENS, J.E. WEBBER, S.D. ROSS, and R.P. PHARIS 354

Weber, J.C.
Genetic variation and productivity of *Populus trichocarpa* T. & G. and its hybrids. I. Morphology and phenology of 50 native clones
J.C. WEBER, R.F. STETTLER, and P.E. HEILMAN 376

Weber, M.G.
The effect of forest floor manipulation on nitrogen status and tree growth in an eastern Ontario jack pine ecosystem
M.G. WEBER, I.R. METHVEN, and C.E. VAN WAGNER 313

Forest soil respiration in eastern Ontario jack pine ecosystems
M.G. WEBER 1069

Wein, R.W.
The influence of shelter and the hypothetical effect of fire severity on the postfire establishment of conifers from seed
P.A. THOMAS and ROSS W. WEIN 148

Delayed emergence of four conifer species on postfire seedbeds in eastern Canada
P.A. THOMAS and ROSS W. WEIN 727

Werner, R.A.
Factors influencing generation times of spruce beetles in Alaska
RICHARD A. WERNER and EDWARD H. HOLSTEN 438

Wheeler, N.C.
Girdling: an effective and practical treatment for enhancing seed yields in Douglas-fir seed orchards
N.C. WHEELER, C.J. MASTERS, S.C. CADE, S.D. ROSS, J.W. KEELEY, and L.Y. HSIN 505

White, P.S.
Natural disturbance and gap phase dynamics in southern Appalachian spruce–fir forests
PETER S. WHITE, MARK D. MACKENZIE, and RICHARD T. BUSING 233

Whitney, N.J.
Observations on fungi associated with spruce budworm infested balsam fir needles
J. DAVID MILLER, D. STRONGMAN, and N.J. WHITNEY 896

Whitney, R.D.
Effects of root rot on the growth of balsam fir
ROY D. WHITNEY and G. BLAKE MACDONALD 890

Williams, R.D.
Planting site and genotype affect black walnut seedling development more than nursery environment
ROBERT D. WILLIAMS, GEORGE RINK, and DAVID T. FUNK 14

Williamson, T.
Factor substitution and economies of scale in the Alberta sawmill industry
KAMAL BANSKOTA, WILLIAM PHILLIPS, and TIMOTHY WILLIAMSON 1025

Wise, F.C.
Propagation of *Abies fraseri* by softwood stem cuttings
FARRELL C. WISE, FRANK A. BLAZICH, and L. ERIC HINESLEY 1172

Witter, J.A.
Relationships between balsam fir mortality caused by the spruce budworm and stand, site, and soil variables in Michigan's Upper Peninsula
ANN M. LYNCH and JOHN A. WITTER 141

Wood, G.B.
Comparison of a model-based sampling strategy with point–Poisson sampling on a timber management area in the Arapahoe–Roosevelt National Forest in Colorado
G.B. WOOD, H.T. SCHREUDER, and G.E. BRINK 83

Woods, P.V.
Mechanisms of element transfer to the atmosphere during vegetation fires
R.J. RAISON, P.K. KHANNA, and P.V. WOODS 132

Transfer of elements to the atmosphere during low-intensity prescribed fires in three Australian subalpine eucalypt forests
R.J. RAISON, P.K. KHANNA, and P.V. WOODS 657

Woodward, R.A.
The Shasta red fir forest of California
MICHAEL G. BARBOUR and ROY A. WOODWARD 570

Worrall, J.
Shoot characteristics of stagnant and vigorous lodgepole pines, and their growth after reciprocal grafting
J. WORRALL, D.A. DRAPER, and S.A. ANDERSON 365

Yang, K.C.
Vertical variation of sapwood thickness in *Pinus banksiana* Lamb. and *Larix laricina* (Du Roi) K. Koch
K.C. YANG, G. HAZENBERG, G.E. BRADFIELD, and J.R. MAZE 822

Yavitt, J.B.
Chemical composition of interstitial water in decaying lodgepole pine bole wood
JOSEPH B. YAVITT and TIMOTHY J. FAHEY 1149

Yeatman, C.W.
Tree size, biomass, and volume growth of twelve 34-year-old Ontario jack pine provenances
S. MAGNUSSEN, V.G. SMITH, and C.W. YEATMAN 1129

Zarnovican, R.
Étude de la production totale: exemple d'une table pour le sapin baumier
R. ZARNOVICAN et P.-E. VÉZINA 87

Zasoski, R.J.
Disturbance patterns and forest development in a recently deglaciated valley in the northwestern Cascade Range of Washington, U.S.A.
CHADWICK DEARING OLIVER, A.B. ADAMS, and ROBERT J. ZASOSKI 221

Zuzek, K.J.
Effective use of ethylene-releasing agents to prevent spread of eastern dwarf mistletoe on black spruce
WILLIAM H. LIVINGSTON, ROBERT A. BLANCHETTE, MARK L. BRENNER, and KATHRYN J. ZUZEK 872